



# Connect, Protect, Power and Terminate. We've Got You Covered.



**Fieldbus Device Couplers and Power Supplies deliver a fast and easy way to connect, protect, power and terminate multiple fieldbus devices in FOUNDATION fieldbus™ and PROFIBUS PA segments.**



# FOUNDATION Fieldbus™ and PROFIBUS PA Device Couplers and Power Supplies



## ROUTE-MASTER™

### Split Architecture Intrinsically-Safe Fieldbus System

Connect FISCO or ENTITY Devices

**RM100**  
Fieldbus Power Supply



H1 or PA  
Fieldbus  
Interface


Dual Trunk  
Outputs from  
Each Isolator Card  
Deliver 350mA  
per Segment



Redundant,  
Isolated Power for  
Up to 8 Segments

FOUNDATION Fieldbus H1  
or PROFIBUS PA  
1900m (6233ft) Maximum  
Segment Length

**SAFE AREA**



WORLDWIDE • [www.miinet.com](http://www.miinet.com)

United States • [info@miinet.com](mailto:info@miinet.com)

Belgium • [info@mooreind.be](mailto:info@mooreind.be)

China • [sales@mooreind.sh.cn](mailto:sales@mooreind.sh.cn)

Australia • [sales@mooreind.com.au](mailto:sales@mooreind.com.au)

The Netherlands • [sales@mooreind.nl](mailto:sales@mooreind.nl)

United Kingdom • [sales@mooreind.com](mailto:sales@mooreind.com)